Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABILITY

MSO 519
IDENTIFICATION NUMBER

COMMANDED BY

LCDR W.L. HOUGH, U.S.N.

Attached to EIGHTY FIFTH MINE Division,
EIGHTH MINE Squadron,
Flotilla,
MINE FORCE US ATLANTIC Fleet,
SIXTH Naval District,

Commencing 0001R 1 September, 1959,
(zone time and date)
at CHARLESTON, South CAROLINA,
(location)
and ending 2400R 30 September, 1959,
(zone time and date)
at CHARLESTON South CAROLINA
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63074

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE TUESDAY (Day) 1 (Date) SEPTEMBER (Month), 19 59

AT/~~PASSAGE~~ FROM CHARLESTON, S.C TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	165	5	9	CLR	29.82	80	76	0	—	—			
02	165	5	9	CLR	29.82	80	76	0	—	—			
03	165	5	9	CLR	29.82	80	76	0	—	—			
04	165	3	9	SCT	29.82	79	78	3	1600	Cu			
05	165	3	9	SCT	29.82	79	78	4	1600	Cu			
06	165	3	9	SCT	29.82	80	79	4	1600	Cu			
07	165	3	9	R	29.84	80	79	10	1000	Cb/Ns			
08	165	3	9	BKN	29.87	82	80	9	1000	Cu/Ns			
09	CALM		9	BKN	29.88	83	81	8	1000	Cu/Ns			
10	CALM		9	SCT	29.88	88	84	5	1600	Cu			
11	230	2	9	SCT	29.88	98	84	5	1600	Cu			
12	230	2	10	SCT	29.88	98	84	4	1600	Cu			
13	230	2	10	SCT	29.88	98	84	4	1600	Cu			
14	230	2	10	SCT	29.87	99	84	4	1600	Cu			
15	230	2	10	SCT	29.85	98	83	4	1600	Cu			
16	230	2	10	SCT	29.83	98	81	4	1600	Cu			
17	230	2	10	SCT	29.83	88	81	4	1600	Cu			
18	230	2	10	SCT	29.82	84	80	3	1600	Cu			
19	230	2	10	SCT	29.82	82	78	3	1600	Cu			
20	200	2	10	SCT	29.82	82	78	3	1600	Cu			
21	200	2	10	SCT	29.82	81	78	3	1600	Cu			
22	200	2	10	SCT	29.84	81	78	3	1600	Cu			
23	200	2	10	SCT	29.86	80	78	3	1600	Cu			
24	200	2	10	SCT	29.86	79	78	3	1600	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO BERTH 103, PIER 10, US NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS FOREAND AFT TO THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC AND RESERVE FLEETS PLUS VARIOUS YARD AND DISTRICT CRAFT. SOPA IS COMINLANT AT U.S. NAVAL STATION, CHARLESTON, S.C. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III WITH MATERIAL CONDITION "YOKE" SET

D.C. Boyer
ENS. USN

Ø4-Ø8 MOORED AS BEFORE Ø75Ø MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

D.C. Boyer
ENS. USN

APPROVED: W.J. Vaughn, LCDR, U.S.N. COMMANDING

EXAMINED: J.R. Fisher LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ (Day) (Date) (Month), 19__

APPROVED: EXAMINED:

_____ U.S.N. COMMANDING _____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) TUE ~~WED~~ 1 ~~2~~ (Day) (Date) SEPT. (Month) 1959 JC

08-12 MOORED AS BEFORE. 1000 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

JDConnery
LTJG USNR

12-16 MOORED AS BEFORE.

JDConnery
LTJG USNR

16-20 MOORED AS BEFORE. 1630 HELD RESCUE AND ASSISTANCE DRILL. 1645 SECURED FROM DRILL.

JDConnery
LTJG USNR

20-24 MOORED AS BEFORE.

JDConnery
LTJG USNR

APPROVED: W. L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED: J. R. Hicks LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE ~~THU~~ WED 2 ~~3~~ (Day) (Date) SEPT (Month), 19 59

AT/~~PASSAGE FROM~~ CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	200	2	9	CLR	29.86	79	76	0	—	—			
02	200	2	9	CLR	29.86	79	76	0	—	—			
03	200	2	9	CLR	29.86	79	76	0	—	—			
04	200	2	9	CLR	29.84	78	76	0	—	—			
05	200	2	9	CLR	29.84	78	76	0	—	—			
06	200	2	9	CLR	29.85	78	76	0	—	—			
07	200	2	9	CLR	29.85	87	80	0	—	—			
08	200	6	10	CLR	29.87	94	80	0	—	—			
09	300	12	10	SCT	29.88	98	81	2	20,000	Ci/Cs			
10	350	15	10	SCT	29.89	93	81	2	20,000	Ci/Cs			
11	320	10	10	SCT	29.90	94	81	2	20,000	Ci/Cs			
12	335	12	10	BKN	29.90	95	82	6	1600	CB			
13	300	10	10	BKN	29.88	96	82	7	1600	CB			
14	245	10	10	BKN	29.86	96	82	8	1600	CB			
15	235	5	10	BKN	29.86	95	82	9	1600	CB			
16	235	5	10	BKN	29.86	95	82	9	1600	CB			
17	235	5	10	BKN	29.86	95	82	9	1600	CB			
18	235	5	10	BKN	29.87	95	83	9	1600	CB			
19	235	5	8	BKN	29.88	90	80	6	1600	CB/Cu			
20	250	3	6	SCT	29.89	84	80	4	1600	Cu			
21	CALM		6	SCT	29.90	83	78	3	1600	Cu			
22	CALM		6	SCT	29.90	86	78	3	1600	Cu			
23	CALM		6	SCT	29.90	85	78	3	1600	Cu			
24	255	3	6	SCT	29.91	79	77	3	1600	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORT SIDE TO BERTH 103, PIER 10, U.S. NAVAL STATION, CHARLESTON S.C., WITH STANDARD MOORING LINES DOUBLED AND WIRES FORE AND AFT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMINLANT IN U.S. NAVAL STATION. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS VI WITH MATERIAL CONDITION YOKE SET.

JD Connery
LTJG USNR

04-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

JD Connery
LTJG USNR

APPROVED: W.L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED: J.R. Fisher LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Wed (Day) 2 (Date) Sept. (Month) 19 59

08-12 Moored as before. 1000 made daily inspection of magazine temperatures and smokeless powder samples. Conditions normal.

W. J. Holloway
Ens. USN

12-16 Moored as before.

W. J. Holloway
Ens. USN

16-20 Moored as before.

W. J. Holloway
Ens. USN

20-24 Moored as before.

W. J. Holloway
Ens. USN

APPROVED: W. L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED: [signature] 2 TSA U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Thurs. (Day) 3 (Date) Sept. (Month), 19 59

AT/~~PASSAGE FROM~~ Charleston, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	255	3	9	CLR	29.91	79	78	0	—	—			
02	255	6	9	CLR	29.91	79	78	0	—	—			
03	255	6	9	CLR	29.91	78	77	0	—	—			
04	255	8	9	CLR	29.92	78	77	0	—	—			
05	255	8	9	CLR	29.94	78	77	0	—	—			
06	255	8	9	CLR	29.95	78	77	0	—	—			
07	255	8	9	CLR	29.95	85	79	0	—	—			
08	255	8	9	CLR	29.96	94	82	0	—	—			
09	255	8	9	CLR	29.96	96	82	0	—	—			
10	255	10	9	CLR	29.97	98	82	0	—	—			
11	255	10	9	CLR	29.97	97	82	0	—	—			
12	320	3	8	CLR	29.97	92	81	0	—	—			
13	CALM		8	SCT	29.97	95	81	2	1600	Cu			
14	CALM		8	SCT	29.95	96	81	2	1600	Cu			
15	190	8	8	BKN	29.93	90	80	6	1600	Cu			
16	200	1	9	BKN	29.94	91	80	6	1600	Cu			
17	200	1	9	BKN	29.94	91	80	6	1600	Cu			
18	200	1	9	BKN	29.92	87	79	6	1600	Cu			
19	200	1	9	BKN	29.92	87	79	6	1600	Cu			
20	200	1	9	CLR	29.92	88	79	0	—	—			
21	200	1	9	CLR	29.92	88	79	0	—	—			
22	200	1	9	CLR	29.92	85	79	0	—	—			
23	200	3	9	CLR	29.92	84	78	0	—	—			
24	200	3	9	CLR	29.93	82	78	0	—	—			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to pier 10, berth 103, U.S. Naval Station, Charleston, S.C. with standard mooring lines doubled and wire preventers fore and aft to the pier. Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. SOPA is COMINCLANT at U.S. Naval Station, Charleston, S.C. Receiving miscellaneous services from the pier. Ship is in condition of readiness VI. Material condition Yoke is set.

W.J. Holloway
Ens. U.S.N.

04-08 Moored as before. 0750 Mustered the crew at quarters. Absentees: none.

W.J. Holloway
Ens. USN

APPROVED: W.J. Vaughn, LCDR U.S.N. COMMANDING

EXAMINED: J.K. Hicks LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) THURSDAY (Day) 3 (Date) SEPTEMBER (Month) 19 59

0800-1200 MOORED AS BEFORE. 0815 COMINRON 8 SUPPLY STAFF CAME ABOARD TO CONDUCT ANNUAL SUPPLY INSPECTION. 0830 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. 1100 COMINRON 8 SUPPLY STAFF COMPLETED ANNUAL SUPPLY INSPECTION AND LEFT THE SHIP.

D. L. Boyer
ENS. USN

1200-1600 MOORED AS BEFORE

D. L. Boyer
ENS. USN

1600-2000 MOORED AS BEFORE

D. L. Boyer
ENS. USN

2000-2400 MOORED AS BEFORE

D. L. Boyer
ENS. USN

APPROVED: W. L. Vaughn, LCDR, U.S.N. COMMANDING

EXAMINED: J. R. Hicks LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE FRIDAY (Day) 4 (Date) SEPTEMBER (Month), 19 59

AT/~~PASSAGE~~ FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	335	3	8	CLR	29.94	82	78	0	-	-			
02	335	3	8	CLR	29.95	83	79	0	-	-			
03	335	3	8	CLR	29.96	80	78	0	-	-			
04	335	3	8	SCT	29.96	80	78	3	1600	Cu			
05	335	3	8	SCT	29.97	75	73	3	1600	Cu			
06	335	3	8	SCT	29.98	78	75	3	1600	Cu			
07	340	4	8	SCT	29.99	80	75	4	1600	Cu			
08	340	4	8	SCT	30.00	86	80	4	1600	Cu			
09	340	2	8	SCT	30.02	87	80	4	1600	Cu			
10	340	2	7	SCT	30.02	91	81	4	1600	Cu			
11	340	2	7	SCT	30.02	92	81	4	1600	Cu			
12	340	2	7	SCT	30.01	90	82	4	1600	Cu			
13	340	4	7	SCT	30.01	90	82	4	1600	Cu			
14	340	4	7	SCT	30.01	90	82	4	1600	Cu			
15	340	10	7	R	30.00	87	81	10	1000	Ns			
16	340	10	7	BKN	30.00	87	81	8	1000	Ns			
17	340	10	7	R	29.98	73	72	8	1000	Ns			
18	340	10	7	R	29.98	73	72	8	1000	Ns			
19	340	10	7	BKN	29.98	73	72	8	1000	Ns			
20	340	10	7	BKN	29.97	70	69	8	1000	Ns			
21	340	10	7	BKN	29.97	70	69	8	1000	Ns			
22	340	10	7	BKN	29.98	69	66	8	1000	Ns			
23	340	10	7	BKN	29.98	68	66	8	1000	Ns			
24	340	8	7	BKN	29.99	65	64	8	1000	Ns			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORT SIDE TO BERTH 103, PIER 10, U.S NAVAL STATION, CHARLESTON, S.C., WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS FORE AND AFT TO THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS VARIOUS YARD AND DISTRICT CRAFT SOPA IS COMINLANT AT US NAVAL STATION, CHARLESTON, S.C. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS VI WITH MATERIAL CONDITION "YOKE" SET.

D. Boyer
ENS. USN

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE

D. Boyer
ENS. USN

APPROVED: W. L. Vaughn, LCDR, U.S.N. COMMANDING

EXAMINED: J. K. Fisher LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRI. (Day) 4 (Date) SEPT. (Month) 19 59

0800-12 MOORED AS BEFORE. 1000 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL CONDUCTED WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM. TEST SATISFACTORY.

J.D. Connery
LTJG USNR

1200-16 MOORED AS BEFORE.

J.D. Connery
LTJG USNR

1600-20 MOORED AS BEFORE. 1630 HELD FIRE DRILL. 1645 SECURED FROM FIRE DRILL. 1800 EARLY, GM. 521-68-04, SA, USN, UA AT MUSTER OF EXTRA DUTY MEN.

J.D. Connery
LTJG USNR

2000-24 MOORED AS BEFORE.

J.D. Connery
LTJG USNR

APPROVED: W. L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED: M. Fiche LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE SATURDAY (Day) 5 (Date) SEPTEMBER (Month) 19 59

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	350	6	7	OVC	29.99	75	74	10	1000	Ns			
02	350	6	7	OVC	29.98	75	74	10	1000	Ns			
03	350	6	7	R	29.97	75	74	10	1000	Ns			
04	350	6	7	R	29.97	75	73	10	1000	Ns			
05	350	6	7	R	29.96	75	73	10	1000	Ns			
06	350	6	7	R	29.96	75	73	10	1000	Ns			
07	350	6	7	R	29.98	76	74	10	1000	Ns			
08	350	6	7	R	30.00	75	74	10	1000	Ns			
09	350	6	8	R	30.01	74	73	10	1000	Ns			
10	350	6	8	R	30.03	74	73	10	1000	Ns			
11	350	6	8	R	30.04	74	73	10	1000	Ns			
12	030	8	8	OVC	30.03	75	73	10	1000	Ns			
13	055	8	8	OVC	30.00	78	76	10	1000	Ns			
14	055	10	8	OVC	29.99	78	76	10	1000	Ns			
15	065	10	8	OVC	29.99	77	76	10	1000	Ns			
16	065	10	8	OVC	29.98	79	76	10	1000	Ns			
17	065	10	8	OVC	29.98	82	77	10	1000	Ns			
18	070	7	8	OVC	29.98	80	77	10	1000	Ns			
19	070	5	8	BKN	29.97	80	77	9	1000	Ns			
20	075	3	8	BKN	29.96	79	76	9	1000	Ns			
21	075	4	8	BKN	29.98	78	76	9	1000	Ns			
22	075	4	8	BKN	29.98	78	76	9	1000	Ns			
23	075	4	8	R	29.99	76	75	10	1000	Ns			
24	030	4	8	R	30.00	78	75	10	1000	Ns			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORT SIDE TO BERTH 103, PIER 10, U.S. NAVAL STATION, CHARLESTON S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRES FORE AND AFT TO THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMINLANT IN U.S. NAVAL STATION. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS VI. WITH MATERIAL CONDITION YOKE.

J. W. Connery
LTJG USNR

04-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT STATIONS: ABSENTEES: EARLY, G.M 521-68-04, SA, USN, UA SINCE 1800 4 SEPTEMBER 1959.

J. W. Connery
LTJG USNR

APPROVED: W. L. Waugh, LCDR, U.S.N. COMMANDING

EXAMINED: J. R. Hicks LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Sat (Day) 5 (Date) Sept. (Month) 19 59

08-12 Moored as before. 1000 made daily inspection of magazine temperatures and smokeless powder samples. Conditions normal.

W. J. Holloway
Ens. USN

12-16 Moored as before.

W. J. Holloway
Ens. USN

16-20 Moored as before.

W. J. Holloway
Ens. USN

20-24 Moored as before.

W. J. Holloway
Ens. USN

APPROVED: W. L. Dough, LCDR, U.S.N. COMMANDING

EXAMINED: H. Hicks LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Sun. (Day) 6 (Date) Sept. (Month), 19 59

AT/~~PASSAGE FROM~~ Charleston, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	080	7	6	BKN	29.99	78	75	6	4500	Sc			
02	060	3	6	BKN	29.98	78	75	7	4500	Sc			
03	060	4	6	BKN	29.98	76	74	7	4500	Sc			
04	060	4	7	R	29.98	76	75	10	4500	Sc			
05	060	4	7	OVC	30.00	75	74	10	4500	Sc			
06	060	4	7	BKN	30.02	75	74	9	4500	Sc			
07	065	4	7	OVC	30.02	75	74	10	4500	Sc			
08	065	3	7	OVC	30.03	77	75	10	4500	Sc			
09	065	3	7	OVC	30.04	78	76	10	4500	Sc			
10	065	3	7	OVC	30.04	80	77	10	4500	Sc			
11	065	3	7	BKN	30.04	82	78	9	4500	Sc			
12	100	5	7	BKN	30.02	83	77	9	4500	Sc			
13	120	10	7	BKN	30.02	84	78	9	4500	Sc			
14	130	10	7	BKN	30.01	85	79	9	4500	Sc			
15	140	14	7	BKN	30.00	85	79	9	4500	Sc			
16	140	7	7	BKN	30.00	83	78	9	4500	Sc			
17	140	5	7	BKN	29.98	78	76	9	4500	Sc			
18	135	5	7	BKN	29.99	78	76	9	4500	Sc			
19	135	4	7	BKN	30.00	78	76	9	4500	Sc			
20	135	4	7	BKN	30.00	77	75	9	4500	Sc			
21	135	7	7	BKN	30.01	75	73	9	4500	Sc			
22	135	6	7	BKN	30.02	75	73	9	4500	Sc			
23	135	6	7	BKN	30.04	75	73	9	4500	Sc			
24	140	4	7	BKN	30.06	78	75	7	4500	Sc			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored portside to pier 10, berth 103, U.S. Naval Station, Charleston, S.C. with standard mooring lines doubled and wire preventers fore and aft to the pier. SOPA is COMINCANT at U.S. Naval Station, Charleston, S.C. Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Receiving miscellaneous services from the pier. Ship is in condition of readiness VI. Material condition Yoke is set.

W. J. Holloway
Ens. USN

04-08 Moored as before. 0750 Mustered the crew on station; Absentees: none.

W. J. Holloway
Ens. USN

APPROVED: W. L. Haught, LCDR, U.S.N. COMMANDING

EXAMINED: [signature] LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Sun. (Day) 6 (Date) Sept. (Month) 1959

08-12 Moored as before. 1000 made daily inspection of magazine temperatures and smokeless powder samples. Conditions normal.

W. J. Holloway
Ens. USN

12-16 Moored as before.

W. J. Holloway
Ens. USN

16-20 Moored as before.

W. J. Holloway
Ens. USN

20-24 Moored as before.

W. J. Holloway
Ens. USN

APPROVED: W. L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED: J. R. Fuchs LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Mon. (Day) 7 (Date) Sept. (Month), 19 59

AT/~~PASSAGE FROM~~ Charleston, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	160	6	6	SCT	30.05	79	75	4	1600	Cu			
02	160	6	6	CLR	30.05	79	75	0	—	—			
03	160	5	6	CLR	30.05	78	75	0	—	—			
04	165	4	7	CLR	30.04	77	75	0	—	—			
05	165	4	7	SCT	30.04	77	75	3	1600	Cu			
06	165	4	7	BKN	30.06	76	75	6	1600	Cu/Ns			
07	165	4	7	R	30.06	75	74	10	1000	Ns			
08	335	4	7	SCT	30.08	83	78	4	1600	Cu			
09	080	5	7	SCT	30.09	87	83	4	1600	Cu			
10	080	5	8	R	30.09	86	83	10	1000	Ns			
11	140	5	8	BKN	30.09	86	77	9	1000	Ns			
12	140	5	8	BKN	30.09	86	77	8	1600	Cu			
13	140	7	8	BKN	30.08	84	78	8	1600	Cu			
14	140	7	8	BKN	30.08	82	78	8	1600	Cu			
15	140	7	8	BKN	30.05	82	78	8	1600	Cu			
16	130	7	8	BKN	30.05	85	78	6	1600	Cu			
17	130	7	8	BKN	30.03	85	78	6	1600	Cu			
18	130	5	8	BKN	30.03	84	79	6	1600	Cu			
19	130	3	8	BKN	30.06	83	79	6	1600	Cu			
20	130	2	8	BKN	30.07	81	77	7	1600	Cu			
21	CALM	0	8	BKN	30.08	80	77	8	1600	Cu			
22	CALM	0	8	BKN	30.08	79	77	8	1600	Cu			
23	350	2	8	BKN	30.08	79	76	8	1600	Cu			
24	350	2	8	BKN	30.08	79	76	8	1600	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to pier 10, berth 103, U.S. Naval Station, Charleston, S.C. with standard mooring lines doubled and wire preventers fore and aft to the pier. SOPA is COMSTKLANT at U.S. Naval Station, Charleston S.C. Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Receiving miscellaneous services from the pier. Ship is in condition of readiness VI with material condition Yoke set.

W.J. Holloway
Ens. USN

04-08 Moored as before. 0750 Mustered the crew on station. Absentees: none.

W.J. Holloway
Ens. USN

APPROVED: W.L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED: J.K. Fisher LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MON. (Day) 7 (Date) SEPT. (Month) 19 59

08-12 MOORED AS BEFORE. 1015 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

J.R. Hicks
LTJG USN

12-16 MOORED AS BEFORE.

J.R. Hicks
LTJG USN

16-20 MOORED AS BEFORE.

J.R. Hicks
LTJG USN

20-24 MOORED AS BEFORE.

J.R. Hicks
LTJG USN

APPROVED:

W. L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED:

J.R. Hicks LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE TUESDAY (Day) 8 (Date) SEPTEMBER (Month), 19 59

AT/~~PASSAGE~~ FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	350	2	8	BKN	30.08	78	74	7	1600	Cu			
02	350	4	8	BKN	30.06	78	74	7	1600	Cu			
03	250	4	8	BKN	30.05	78	74	7	1600	Cu			
04	250	4	8	BKN	30.06	75	73	6	1600	Cu			
05	250	4	8	BKN	30.06	75	73	6	1600	Cu			
06	250	2	1/10	F	30.07	74	73	—	—	—			
07	250	2	1/2	F	30.07	74	73	—	—	—			
08	260	7	8	BKN	30.09	76	74	8	4500	Sc			
09	340	10	8	Ovc	30.11	80	76	10	4500	Sc			
10	060	3	8	Ovc	30.11	87	77	10	4500	Sc			
11	100	4	8	Ovc	30.11	89	78	10	4500	Sc			
12	100	4	8	Ovc	30.11	89	78	10	4500	Sc			
13	100	4	8	Ovc	30.11	89	78	10	4500	Sc			
14	100	4	8	Ovc	30.11	89	78	10	4500	Sc			
15	100	4	8	Ovc	30.11	87	78	10	4500	Sc			
16	105	6	8	R	30.10	85	77	10	4500	Sc			
17	105	4	8	Ovc	30.09	82	76	10	4500	Sc			
18	105	4	8	Ovc	30.07	79	75	10	4500	Sc			
19	105	4	8	Ovc	30.05	78	75	10	4500	Sc			
20	330	10	8	Sct	30.06	79	76	4	1600	Cu			
21	330	8	8	Sct	30.04	78	75	3	1600	Cu			
22	330	12	6	Sct	30.04	77	74	4	1600	Cu			
23	330	10	6	Sct	30.02	76	74	3	6500	Ac			
24	330	10	6	Sct	30.00	76	74	3	6500	Ac			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORTSIDE TO PIER 10, BERTH 103, U.S. NAVAL STATION, CHARLESTON, S.C., WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS FORE AND AFT TO THE PIER. SOPA IS COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC AND RESERVE FLEETS PLUS VARIOUS YARD AND DISTRICT CRAFT. RECEIVING ~~VARIOUS YARD~~ MISCELLANEOUS SERVICES ~~ALL~~ FROM THE PIER. SHIP IS IN CONDITION OF READINESS III. MATERIAL CONDITION YOKE IS ~~MAINTAINED~~. SET. ~~ALL~~

J.K. Hicks
LTJG USN

04-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE

J.K. Hicks
LTJG USN

APPROVED: W.L. Doughs, LCDR, U.S.N. COMMANDING

EXAMINED: J.K. Hicks LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Tues (Day) 8 (Date) Sept. (Month) 19

08-12 Moored as before. 0950 The Commanding Officer held mast and imposed non-judicial punishment as follows:
EARLY, G.M., 521 6804, SA, USN, OFFENSE, Violation of Art. 86 and ~~93~~ 92. PUNISHMENT; Summary Court Martial. 1000 Made daily inspection of magazine temperatures and smokeless powder samples. Conditions Normal.

W.J. Holloway
Ens. USN

12-16 Moored as before.

W.J. Holloway
Ens. USN

16-20 Moored as before.

W.J. Holloway
Ens. USN

20-24 Moored as before.

W.J. Holloway
Ens. USN

APPROVED: W.L. Vaughn, LCDR, U.S.N. COMMANDING

EXAMINED: [signature] Lt (jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Wed. (Day) 9 (Date) Sept. (Month), 19 59

AT/~~PASSAGE FROM~~ Charleston, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	330	10	6	SCT	30.00	76	74	3 ~~3~~ 6	3000	AC			
02	330	10	6	SCT	30.00	76	74	3	3000	AC			
03	350	10	6	SCT	3000	74	72	3	3000	AC			
04	350	6	9	SCT	3002	73	70	3	3000	AC			
05	350	6	9	SCT	3004	73	70	3	3000	AC			
06	350	6	10	SCT	3004	75	71	3	1800	CU/ST			
07	350	6	10	SCT	3004	78	72	3	1800	CU/ST			
08	350	6	10	SCT	3005	80	72	3	1800	CU/ST			
09	350	5	10	SCT	3007	80	75	5	1800	CU/ST			
10	350	5	10	BKN	3006	82	75	6	1800	CU/ST			
11	350	5	10	BKN	3006	82	76	6	1800	CU/ST			
12	350	5	10	BKN	3006	84	76	6	1800	CU/ST			
13	350	5	10	BKN	3004	84	78	6	1800	CU/ST			
14	350	8	10	BKN	3001	83	78	7	1800	CU/ST			
15	350	8	10	BKN	3000	83	77	7	1800	CU/ST			
16	350	6	10	BKN	3000	81	75	7	1800	CU/ST			
17	000	8	10	BKN	3000	81	75	7	1800	CU/ST			
18	050	8	10	BKN	2999	80	75	6	1800	CU/ST			
19	050	6	10	BKN	2998	80	77	6	1800	CU/ST			
20	060	5	10	BKN	2998	77	77	6	1800	CU/ST			
21	060	5	10	BKN	2998	76	76	6	1800	CU/ST			
22	060	6	10	BKN	2998	74	76	6	1800	CU/ST			
23	060	6	8	BKN	2998	74	74	5	1600	CU/ST			
24	060	6	8	BKN	2998	73	74	5	1600	CU/ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to pier 10, berth 103, U.S. Naval Station, Charleston, S.C. with standard mooring lines doubled and wire preventers fore and aft to the pier. SOPA is COMINCLANT at U.S. Naval Station, Charleston, S.C. Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Receiving miscellaneous services from the pier. Ship is in condition of readiness VI. Material condition Yoke is set.

W. J. Holloway
Ens. USN

04-08 Moored as before. 0750 Mustered the crew at quarters. Absentees: none.

W. J. Holloway
Ens. USN

APPROVED: W. L. Dough, LCDR, U.S.N. COMMANDING

EXAMINED: J. R. Fisher LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) WEDNESDAY (Day) 9 (Date) SEPT. (Month), 19 59

0800-1200 MOORED AS BEFORE 1000 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL

D. K. Boyer
ENS. USN

1200-1600 MOORED AS BEFORE

D. K. Boyer
ENS. USN

1600-2000 MOORED AS BEFORE. 1615 CONDUCTED IN PORT RESCUE AND ASSISTANCE DRILL. 1620 SECURED FROM R & A DRILL.

D. K. Boyer
ENS. USN

2000-2400 MOORED AS BEFORE

D. K. Boyer
ENS. USN

APPROVED: W. L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED: J. K. Hicks LCDR U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION 4 5 DATE THURSDAY (Day) 10 (Date) SEPT. (Month), 19 59

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	060	5	7	SCT	29.98	74	74	5	1600	~~CU~~			
02	060	5	7	SCT	29.97	74	73	5	1600	CU			
03	060	6	7	SCT	29.97	73	73	4	1600	CU			
04	035	5	8	OVC	29.94	75	73	9	1600	CU			
05	035	4	8	SCT	29.94	74	72	5	1600	CU			
06	355	6	8	SCT	29.96	74	72	4	1600	CU			
07	335	6	8	SCT	29.97	74	72	4	1600	CU			
08	335	6	10	SCT	29.97	88	86	4	1600	CU/ST			
09	335	6	10	SCT	29.97	89	84	4	1600	CU/ST			
10	300	4	10	SCT	29.97	91	81	4	1600	CU/ST			
11	300	8	10	SCT	29.95	83	75	7	1600	CU/ST			
12	155	6	10	BKN	29.94	85	77	7	1600	NS/CU			
13	150	10	9	BKN	29.92	84	77	7	1600	NS/CU			
14	150	10	9	BKN	29.90	84	77	7	1600	NS/ST			
15	150	4	9	BKN	29.90	84	77	7	1600	NS/ST			
16	150	4	9	BKN	29.90	84	77	7	1600	NS/ST			
17	150	4	9	BKN	29.90	83	77	7	1600	NS/ST			
18	150	4	9	BKN	29.90	83	77	7	1600	NS/ST			
19	150	4	10	BKN	29.93	78	76	7	1600	NS/ST			
20	150	4	10	BKN	29.93	78	76	7	1600	CU/ST			
21	150	4	10	BKN	29.93	78	76	2	1600	CU/ST			
22	150	4	10	BKN	29.93	75	74	2	1600	CU/ST			
23	150	4	10	BKN	29.93	75	74	2	1600	CU/ST			
24	150	4	10	BKN	29.93	75	74	2	1600	CU/ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORT SIDE TO BERTH 103, PIER 10, U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS FORE AND AFT TO THE PIER. SOPA IS COMINLANT AT U.S. NAVAL STATION, CHARLESTON, S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS VARIOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS VI WITH MATERIAL CONDITION YOKE SET.

~~OF A~~

DCB

D. C. Boyer
ENS. USN

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

D. C. Boyer
ENS. USN.

APPROVED: W. F. Vaughn, CDR, U.S.N. COMMANDING

EXAMINED: J. K. Hicks LT (jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) THURSDAY (Day) 10 (Date) SEPT. (Month) 19 59

08-12 MOORED AS BEFORE. 1120 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

J.K. Hicks
LTJG USN

12-16 MOORED AS BEFORE.

J.K. Hicks
LTJG USN

16-20 MOORED AS BEFORE.

J.K. Hicks
LTJG USN

20-24 MOORED AS BEFORE.

J.K. Hicks
LTJG USN

APPROVED:

W. L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED:

J.K. Hicks LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5 DATE FRIDAY (Day) 11 (Date) SEPT (Month), 19 59

AT/~~PASSAGE FROM~~ CHARLESTON TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	335	2	9	CLR	2992	74	72	2	1600	CU			
02	335	3	9	SCT	2990	74	72	3	1600	ST			
03	335	3	9	SCT	2990	74	72	3	1600	ST			
04	335	4	9	SCT	2991	73	71	3	1600	ST			
05	335	6	9	SCT	2991	72	70	4	1600	ST			
06	335	6	9	SCT	2992	75	72	4	1600	ST			
07	335	6	9	SCT	2993	79	75	4	1600	ST			
08	335	6	9	SCT	2994	83	79	4	1600	ST			
09	335	6	9	SCT	2995	83	80	4	1600	ST			
10	335	6	9	SCT	2996	82	83	4	1600	ST			
11	335	6	9	SCT	2998	82	83	4	1600	ST			
12	330	3	10	SCT	2998	82	75	5	1600	CU			
13	330	3	10	SCT	2997	84	75	5	1600	CU			
14	330	4	10	SCT	2995	84	75	5	1600	CU			
15	330	4	10	SCT	2994	85	75	5	2000	CU			
16	350	8	10	SCT	2993	85	75	4	2000	CU			
17	115	5	10	SCT	2994	84	76	3	2000	ST			
18	115	8	8	SCT	2994	84	76	3	2000	ST			
19	115	8	6	SCT	2995	80	75	3	2000	ST			
20	115	8	6	SCT	2995	80	75	7	2000	ST			
21	115	8	6	SCT	2995	80	75	7	2000	ST			
22	115	8	6	SCT	2995	80	75	7	2000	ST			
23	115	8	6	SCT	2995	80	75	7	2000	ST			
24	115	8	6	SCT	2997	73	73	7	2000	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORT SIDE TO BERTH 103, PIER 10, US NAVAL BASE, CHARLESTON, S.C., WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS FORE AND AFT TO THE PIER. SOPA IS COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC AND RESERVE FLEETS AND VARIOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

J.K. Hicks
LTJG USN

04-08 MOORED AS BEFORE. 0750 MUSTERED CREW ON STATION. ABSENTEES NONE.

J.K. Hicks
LTJG USN

APPROVED: W.L. Vaughn, LCDR, U.S.N. COMMANDING

EXAMINED: J.K. Hicks LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO-519) Fri (Day) 11 (Date) Sept. (Month) 1959

08-12 Moored as before. 0900 Mustered the crew at quarters. Commander Mine Squadron Eight commenced personnel inspection. 0940 Secured from personnel inspection. Commander Mine Squadron Eight commenced material inspection. 1000 Commander Mine Division Eighty-Five commenced administrative inspection. 1100 Made daily inspection of magazine temperatures and smokeless powder samples. Conditions normal. Made weekly test of magazine sprinkling system. Tests satisfactory. Secured from material inspection.

W. J. Holloway
Ens. USN

12-16 Moored as before. 1300 Commenced transferring ammunition to small boat for delivery to N.A.D. Charleston, S.C. 1330 Completed transferring ammunition to small boat, having transferred 883 rounds of 40 MM ammunition and miscellaneous small arms ammunition. 1555 Commander Mine Division Eighty-Five, members of his staff, and inspecting party completed annual administrative inspection of U.S.S. Ability (MSO-519).

W. J. Holloway
Ens. USN

16-20 Moored as before. 1713 In accordance with BuPers Orders 086751 of 25 May 1959, Ensign Thomas G. Wilkinson, USNR, 589207, reported on board for duty as prospective Wdfs Operations Officer.

W. J. Holloway
Ens. USN

20-24 Moored as before.

W. J. Holloway
Ens. USN

APPROVED: W. L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED: R. Fiehn LT/G U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Ability (MSO-518) ZONE DESCRIPTION +5 DATE Sat. (Day) 12 (Date) Sept (Month), 19 59

AT/~~PASSAGE FROM~~ Charleston, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	115	8	6	SCT	29.96	75	73	7	2000	ST			
02	115	8	6	SCT	29.95	72	71	7	2000	ST			
03	115	8	6	SCT	29.95	71	70	7	2000	ST			
04	335	15	6	SCT	29.96	72	70	2	2000	ST			
05	335	12	6	SCT	29.97	70	70	2	2000	ST			
06	040	15	8	SCT	29.98	73	70	4	2000	CU/ST			
07	050	15	10	SCT	30.00	73	70	5	2000	CU			
08	050	15	10	SCT	30.00	75	70	5	2000	CU			
09	050	15	10	SCT	30.03	78	74	5	2000	CU			
10	050	15	10	SCT	30.05	81	76	5	2000	CU			
11	050	15	10	SCT	30.06	83	79	5	2000	CU			
12	050	10	10	SCT	30.04	82	74	5	2000	CU			
13	050	10	10	SCT	30.04	82	74	5	2000	CU			
14	050	10	10	SCT	30.04	82	74	5	2000	CU/ST			
15	050	10	10	SCT	30.02	78	72	5	2000	CU/ST			
16	050	6	10	OVC	30.01	78	72	10	2000	CU/ST			
17	230	6	10	OVC	30.01	77	71	10	2000	CU/ST			
18	230	6	6	OVC	30.01	77	71	10	2000	CU/ST			
19	230	6	6	RAIN	30.01	77	71	10	2000	CU/ST			
20	030	6	6	OVC	30.02	76	70	10	2000	CU			
21	030	6	6	OVC	30.03	75	70	10	2000	CU			
22	030	6	6	OVC	30.03	75	70	10	2000	CU			
23	030	6	6	OVC	30.03	75	70	10	2000	CU			
24	030	6	6	OVC	30.03	75	70	10	2000	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-08 Moored port side to pier 10, berth 103, U.S. Naval Station Charleston, S.C. with standard mooring lines doubled and wire preventers out fore and aft to the pier. SOPA is COMINCLANT at U.S. Naval Station, Charleston, S.C. Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Receiving miscellaneous services from the pier. Ship is in condition of readiness VI. Material condition Yoke is set. WJM

W. J. Holloway
Ens. USN

08-08 Moored as before. ~~0650 tkt off number 2 s/s generator.~~ 0704 Shifted to ship's power. 0750 Mustered the crew on station. Absentees: none. WJM

W. J. Holloway
Ens. USN

APPROVED: W. S. Vaughn, LCDR, U.S.N. COMMANDING

EXAMINED: J. K. Ficke LT/C U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) SATURDAY (Day) 12 (Date) SEPT. (Month), 19 59

0800-12 MOORED AS BEFORE. 0835 SET SPECIAL SEA DETAIL MADE FINAL PREPARATIONS FOR SHIFTING BERTHS WITH DEAD PLANT. 0848 TWO YTBs CAME ALONGSIDE TO SECURE LINES AND TRANSFER PILOT. 0904 UNDERWAY FOR NAVAL SHIPYARD, CHARLESTON, S.C. IN TOW OF YTB 96 AND YTB 527 IN ACCORDANCE WITH VERBAL ORDER OF COMINLANT . CAPTAIN, NAVIGATOR AND PILOT LUPTON ON THE BRIDGE. 0910 SHIP CLEARED PIERS AND CAST OFF YTB 96. 0920 PASSED BUOY NO. 5 0 ABEAM TO STBD AS YTB 527 towed THE SHIP FROM MINE CRAFT PIERS TO NAVAL SHIPYARD PIERS. 0937 MOORED STBD SIDE TO USS AFFRAY (MSO 511) AT BERTH 2, PIER DELTA SOPA IS COMINLANT AT U.S. NAVAL BASE, CHARLESTON S.C. MOORED WITH STANDARD MOORING LINES DOUBLED. ~~AND~~ 0942 CAST OFF YTB 527. 0950 PILOT & YTB LUPTON DEPARTED. 0955 SECURED SPECIAL SEA DETAIL, SET REGULAR IN PORT WATCH.

D. A. Boyer
ENS. USN

12-16 MOORED AS BEFORE.

D. A. Boyer
ENS. USN

16-20 MOORED AS BEFORE

D. A. Boyer
ENS. USN

20-24 MOORED AS BEFORE

D. A. Boyer
ENS. USN

APPROVED: W. L. Hougle, LCDR, U.S.N. COMMANDING

EXAMINED: [signature] LT(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO519) ZONE DESCRIPTION +5 DATE SUNDAY (Day) 13 (Date) SEPT. (Month), 19 59

AT/~~PASSAGE~~ FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	030	6	8	BKN	3001	75	68	9	1800	Cu			
02	030	6	8	BKN	3000	73	68	9	1800	Cu			
03	030	6	8	BKN	2999	72	68	9	1800	Cu			
04	030	6	8	RN	2999	72	67	10	1800	Cu			
05	030	6	8	RN	2998	71	67	10	1800	Cu			
06	030	6	8	RN	2998	71	66	10	1800	Cu			
07	030	7	8	OVC	3000	69	66	10	1800	Cu			
08	030	7	8	OVC	3000	70	67	10	1800	Cu			
09	030	7	8	OVC	3000	70	68	10	1800	Cu			
10	030	6	8	OVC	3000	70	68	10	1800	Cu			
11	030	6	8	OVC	3000	70	68	10	1800	Cu			
12	030	6	8	OVC	3000	72	68	10	1800	Cu			
13	030	6	8	OVC	3000	71	69	10	1800	Cu			
14	030	6	8	OVC	3000	71	69	10	1800	Cu			
15	030	6	8	OVC	2998	71	69	10	1800	Cu			
16	030	6	8	OVC	2998	71	69	10	1800	Cu			
17	030	6	8	OVC	2998	71	67	10	1800	Cu			
18	030	6	8	OVC	2998	71	67	10	1800	Cu			
19	030	6	8	OVC	2998	70	67	10	1800	Cu			
20	025	6	8	OVC	2998	69	66	10	1800	Cu			
21	020	8	8	OVC	2998	68	65	10	1800	Cu			
22	020	8	8	OVC	2997	68	64	10	1800	Cu			
23	020	8	8	OVC	2997	68	64	10	1800	Cu			
24	020	8	8	OVC	2998	68	65	10	1800	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO USS AFFRAY (MSO 511), BERTH 2, PIER "D", U.S. NAVAL SHIPYARD, CHARLESTON, S.C. SOPA IS COMINLANT AT U.S. NAVAL BASE CHARLESTON, S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS VARIOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS VI WITH MATERIAL CONDITION YOKE SET. MOORED WITH STANDARD MOORING LINES DOUBLED

D. L. Boyer
ENS. USN.

Ø4-Ø8 MOORED AS BEFORE. MUSTERED THE CREW ON STATION; ABSENTEES: NONE.

D. L. Boyer
ENS. USN

APPROVED: W. L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED: J. K. Ficke, LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) SUNDAY (Day) 13 (Date) SEPTEMBER (Month), 1959

08-12 MOORED AS BEFORE.

D. C. Boyer
ENS. USN

12-16 MOORED AS BEFORE

D. C. Boyer
ENS. USN

16-20 MOORED AS BEFORE

D. C. Boyer
ENS. USN

20-24 MOORED AS BEFORE.

D. C. Boyer
ENS. USN

APPROVED: W. L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED: J. R. Hicks LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE MONDAY (Day) 14 (Date) SEPTEMBER (Month), 19 59

AT/~~PASSAGE~~ FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	030	6	8	OVC	2998	67	65	10	1800	CU			
02	030	6	8	OVC	2998	67	65	10	1800	CU			
03	030	6	8	OVC	2997	67	65	10	1800	CU			
04	030	6	8	OVC	2995	70	65	10	1800	CU			
05	030	6	8	OVC	2992	70	65	10	1800	CU			
06	030	6	9	OVC	2990	70	65	10	1800	CU			
07	050	6	9	OVC	2991	71	65	10	1800	CU			
08	050	3	10	OVC	2992	71	65	10	1600	CU			
09	050	3	10	OVC	2992	76	70	10	1600	NS/CU			
10	050	3	10	OVC	2994	76	70	10	1600	NS/CU			
11	050	3	10	OVC	2994	80	75	10	1600	NS/CU			
12	050	3	10	OVC	2993	81	76	10	1600	NS/CU			
13	050	3	10	OVC	2993	80	78	10	1600	NS/CU			
14	050	3	10	OVC	2991	79	76	10	1600	NS/CU			
15	050	3	10	OVC	2990	77	75	10	1600	NS/CU			
16	050	3	10	OVC	2988	77	75	10	1600	NS/CU			
17	050	3	10	OVC	2988	77	75	10	1600	NS/CU			
18	050	3	10	RN	2988	77	76	10	1600	NS/CU			
19	045	2	10	RN	2988	77	76	10	1000	NS/CU			
20	040	3	5	RN	2990	65	67	10	1000	NS			
21	030	4	5	RN	2993	66	66	10	1000	NS			
22	000	3	5	RN	2995	66	66	10	1000	NS			
23	000	3	5	RN	2998	66	66	10	1000	NS			
24	000	3	5	RN	3000	65	64	10	1000	NS			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO USS AFFRAY (MSO 511), BERTH 2, PIER "D", U.S. NAVAL SHIPYARD, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED. SOPA IS COMINLANT AT U.S. NAVAL BASE, CHARLESTON, S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC AND RESERVE FLEETS PLUS VARIOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III WITH MATERIAL CONDITION YOKE SET.

D.L. Boyle
ENS. USN

Ø4-Ø8 MOORED AS BEFORE. Ø75Ø MUSTERED THE CREW ~~ON STA~~ AT QUARTERS DLB
ABSENTEES: NONE.

D.L. Boyle
ENS. USN

APPROVED: W. F. Hough, LCDR, U.S.N. COMMANDING

EXAMINED: J. R. Hicks LT/G U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Mon (Day) 14 (Date) Sept. (Month) 1959

08-12 Moored as before. 1000 Made daily inspection of magazine temperatures and smokeless powder samples. 1015 Early, G.M., 521-6804, SA, USN, was convicted this date by Summary Court Martial of violation of Art. 86 UCMJ, unauthorized absence and Art. 91, UCMJ., Disobedience of a lawful order of a petty officer
Sentence: Restriction to the limits of the ship for thirty days and a fine of thirty-five dollars.
The Commanding Officer as convening authority approved the sentence and ordered it executed except for the fine of thirty-five dollars.

W. J. Holloway
Ens. USN

12-16 Moored as before.

W. J. Holloway
Ens. USN

16-20 Moored as before.

W. J. Holloway
Ens. USN

20-24 Moored as before.

W. J. Holloway
Ens. USN

APPROVED:

W. L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED:

M. Hicks LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Tues (Day) 15 (Date) Sept (Month), 19 57

AT/~~PASSAGE FROM~~ Charleston, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	000	3	4	RN	30.00	63	60	10	1000	NS			
02	000	3	4	RN	30.00	61	59	10	1000	NS			
03	000	3	4	RN	30.00	60	58	10	1000	NS			
04	000	3	4	RN	29.88	60	58	10	1000	NS			
05	000	3	4	RN	29.86	60	58	10	1000	NS			
06	000	3	4	RN	29.84	60	58	10	1000	NS			
07	000	3	4	RN	29.82	60	59	10	1000	NS			
08	010	2	8	RN	29.80	70	70	10	1000	NS			
09	010	2	8	OVC	29.80	73	72	10	1000	NS			
10	010	3	8	OVC	29.79	78	78	10	1000	NS			
11	010	2	8	OVC	29.80	79	78	10	1000	NS			
12	010	2	9	OVC	~~29.78~~ 29.78	79	80	10	1000	NS			
13	010	2	9	OVC	29.77	77	78	10	1000	NS			
14	010	4	9	OVC	29.76	77	77	10	1000	NS			
15	010	2	9	OVC	29.74	79	79	10	1000	NS			
16	010	2	9	OVC	29.74	79	79	10	1000	NS			
17	010	2	9	OVC	29.74	77	77	10	1000	NS			
18	010	2	9	OVC	29.74	75	75	10	1000	NS			
19	010	2	9	OVC	29.74	75	75	10	1000	NS			
20	010	2	9	OVC	29.74	75	75	10	1000	CU			
21	010	2	5	OVC	29.74	75	75	10	1000	CU			
22	010	2	5	OVC	29.76	70	60	10	1000	CU			
23	010	2	5	OVC	29.75	70	70	10	1000	NS			
24	010	2	5	OVC	29.75	70	70	10	1500	NS			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored starboard side to U.S.S. Affray (MSO 511) at pier P, berth 2, U.S. Naval Shipyard, Charleston, S.C. with standard mooring lines doubled and wire preventer forward to the pier. Ships present in the area include various units of the U.S. Atlantic and Reserve Fleets, German and Spanish naval vessels, and various yard and district craft. Receiving miscellaneous services from the pier SOPA is COMINCLANT at U.S. Naval Station, Charleston, S.C.
Ship is in condition of readiness VI. Material condition Yoke is set.

W. J. Holloway
Ens. USN

04-08 Moored as before. 0750 Mustered the crew at quarters. Absentees: none.

W. J. Holloway
Ens. USN

APPROVED: W. L. Haughn, LCDR, U.S.N. COMMANDING

EXAMINED: J. K. Hicks LT(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) TUESDAY (Day) 15 (Date) SEPT. (Month), 19 59

ØØ-12 MOORED AS BEFORE.

D L Boyer
ENS. USN.

12-16 MOORED AS BEFORE. ~~1243~~ DLB

D L Boyer
ENS. USN

16-2Ø MOORED AS BEFORE. 163Ø CONDUCTED IN PORT FIRE DRILL
1635 SECURED FROM FIRE DRILL.

D L Boyer
ENS. USN

2Ø-24 MOORED AS BEFORE.

D L Boyer
ENS. USN

APPROVED: W. L. Doughty, LCDR, U.S.N. COMMANDING

EXAMINED: [signature] LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 16 (Date) SEPTEMBER (Month), 19 59

~~AT~~/PASSAGE FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	105	2	10	SCT	2991	75	72	5	1600	CU			
02	100	2	10	CLR	2992	74	72	0					
03	100	2	10	CLR	2992	73	72	0					
04	110	2	10	CLR	2992	71	69	0					
05	110	2	10	CLR	2994	70	69	0					
06	110	2	10	CLR	2994	75	71	0					
07	120	4	10	SCT	3000	80	76	5	1200	CU			
08	120	4	10	SCT	3000	80	76	4	1200	CU			
09	115	4	10	SCT	3000	80	76	4	1200	CU			
10	120	3	10	SCT	3003	80	76	5	1200	CU			
11	100	4	10	SCT	3004	80	76	5	1200	CU			
12	040	4	10	OVC	3007	73	68	9	1400	CU			
13	040	4	10	OVC	3010	74	69	10	1400	CU			
14	040	4	10	OVC	3011	75	72	10	1400	CU/NS			
15	060	3	10	OVC	3012	78	74	10	1400	CU/NS			
16	060	3	10	OVC	3012	75	71	10	1400	CU/NS			
17	060	4	10	OVC	3010	72	68	10	1400	CU/NS			
18	060	4	10	OVC	3010	72	68	10	1400	CU/NS			
19	060	4	10	OVC	3011	70	66	10	1400	CU/NS			
20	060	6	10	OVC	3011	70	66	10	1400	CU/NS			
21	060	6	10	OVC	3011	70	66	10	1400	CU/NS			
22	060	5	10	OVC	3011	70	66	10	1400	CU/NS			
23	060	5	10	OVC	3011	70	65	10	1400	CU/NS			
24	060	5	10	OVC	3011	65	63	10	1400	CU/NS			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO USS AFFRAY (MSO 511), AT PIER "D", BERTH 2, U.S. NAVAL SHIPYARD, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORWARD TO THE PIER. SOPA IS COMINLANT ~~CHIEF OF STAFF~~ AT U.S. NAVAL STATION, CHARLESTON, S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS VARIOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION "YOKE" SET. DLB DLB

D.L. Boyd
ENS USN

~~Ø4~~ Ø4-Ø8 MOORED AS BEFORE. Ø75Ø MUSTERED THE CREW AT QUARTERS. DLB
ABSENTEES: NONE.

D.L. Boyd
ENS USN

APPROVED: W. F. Vaughn, LCDR, U.S.N. COMMANDING

EXAMINED: J. K. Hicks LT(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) Wed (Day) 16 (Date) Sept (Month), 1959

08-12 MOORED AS BEFORE.

J D Connery
LTJG USNR

12-16 MOORED AS BEFORE.

J D Connery
LTJG USNR

16-20 MOORED AS BEFORE.

J D Connery
LTJG USNR

20-24 MOORED AS BEFORE. 2115 COMINLANT HAULED DOWN HIS FLAG AND DEPARTED AREA. CHIEF OF STAFF, COMINLANT, ASSUMES THE DUTIES OF SOPA.

J D Connery
LTJG USNR.

APPROVED: W. L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED: J. L. Hicks LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE THU (Day) 17 (Date) SEPT (Month), 19 59

AT/~~PASSAGE~~ FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	105	6	6	SCT	2991	75	72	4	1200	Cu			
02	100	6	6	SCT	2992	74	72	4	1200	Cu			
03	100	5	8	SCT	2992	73	72	4	1200	Cu			
04	110	5	10	SCT	2992	71	70	3	1200	Cu			
05	110	5	10	CLR	2994	70	69	0	~~12~~				
06	110	5	10	SCT	2994	75	72	4	1400	Cu			
07	120	5	10	SCT	3000	80	77	4	1400	Cu			
08	120	4	10	SCT	3000	80	77	5	1400	Cu/Ns			
09	120	4	10	SCT	3000	80	77	5	1400	Cu/Ns			
10	115	4	10	OVC	3000	82	77	10	1400	Cu/Ns			
11	110	3	10	OVC	3003	83	77	10	1400	Cu/Ns			
12	040	3	10	OVC	3006	80	75	10	1400	Cu/Ns			
13	060	3	10	OVC	3010	74	70	10	1400	Cu/Ns			
14	060	3	10	OVC	3011	75	71	10	1400	Cu/Ns			
15	060	3	10	OVC	3010	78	74	10	1400	Cu/Ns			
16	060	3	8	OVC	3010	75	71	10	1400	Cu/Ns			
17	075	4	8	OVC	3010	72	68	10	1400	Cu/Ns			
18	075	4	6	OVC	3010	72	68	10	1400	Cu/Ns			
19	075	4	6	OVC	3011	70	66	10	1400	Cu/Ns			
20	100	4	6	OVC	3011	70	66	10	1400	Cu/Ns			
21	100	3	6	OVC	3011	70	66	10	1400	Cu/Ns			
22	060	3	6	OVC	3011	70	66	10	1400	Cu/Ns			
23	030	3	6	OVC	3011	70	66	10	1400	Cu/Ns			
24	030	3	6	OVC	3011	65	60	10	1400	Cu/Ns			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

~~END~~

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO USS AFFRAY (MSO 511) AT BERTH 2, PIER DELTA, ~~WITH STANDARD~~ U.S. NAVAL SHIPYARD, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CHIEF OF STAFF, COMINCANT, IN U.S. NAVAL STATION, RECEIVING ALL MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS VI WITH MATERIAL CONDITION YOKE SET.

J.P. Connery
LTJG USNR

04-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

J.P. Connery
LTJG USNR

APPROVED: W. L. Vaughn, LCDR, U.S.N. COMMANDING

EXAMINED: H. Fisher LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Thurs. (Day) 17 (Date) Sept (Month) 19 57

08-12 Moored as before. 1000 Made daily inspection of magazine temperatures and smokeless powder samples. Conditions: normal.

W. J. Holloway
Ens. USN

12-16 Moored as before.

W. J. Holloway
Ens. USN

16-20 Moored as before.

W. J. Holloway
Ens. USN

20-24 Moored as before.

W. J. Holloway
Ens. USN

APPROVED: W. L. Dongle, LCDR, U.S.N. COMMANDING

EXAMINED: [signature] LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Ability CMSO 519 ZONE DESCRIPTION +5 DATE Fri (Day) 18 (Date) Sept (Month), 19 59

AT/~~PASSAGE~~ FROM Charleston, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	030	6	6	OVC	3017	65	61	10	1000	NS/Cu			
02	~~31~~ 030	6	6	BKN	3016	64	60	7	1600	Cu			
03	040	6	6	SCT	3016	64	60	4	1600	Cu			
04	040	6	6	SCT	3017	63	79	4	1600	Cu			
05	040	6	6	SCT	3018	63	79	4	1600	Cu			
06	040	6	6	SCT	3019	64	79	4	1600	Cu			
07	040	6	6	SCT	3020	65	61	4	1600	Cu			
08	040	6	6	SCT	3020	69	64	4	1600	Cu			
09	040	4	6	SCT	3020	70	66	4	1600	Cu			
10	040	5	8	SCT	3022	72	68	4	1600	Cu			
11	045	5	9	SCT	3022	73	68	4	1600	Cu			
12	045	6	9	SCT	3022	75	70	4	1600	Cu			
13	045	6	9	SCT	3022	77	73	4	1600	Cu			
14	045	6	9	SCT	3023	80	76	2	1600	Cu			
15	045	6	9	SCT	3023	80	76	2	1600	Cu			
16	045	3	9	SCT	3020	81	77	2	1600	Cu			
17	045	3	9	SCT	3018	82	77	4	1600	Cu			
18	045	3	9	SCT	3018	78	74	4	1600	Cu			
19	045	3	9	SCT	3018	78	74	4	1600	Cu			
20	045	3	9	SCT	3020	72	68	4	1600	Cu			
21	045	3	9	SCT	3020	72	68	4	1600	Cu			
22	045	3	9	SCT	3022	72	68	4	1600	Cu			
23	045	3	9	SCT	3022	71	68	4	1600	Cu			
24	045	3	9	SCT	3024	70	67	4	1600	Cu			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored starboard side to U.S.S. Affray CMSO-519 at pier "D" U.S. Naval shipyard, Charleston, S.C. with standard mooring lines doubled and wire preventers fore and aft to the pier. SOPA is CONTINENT at U.S. Naval Base, Charleston, S.C. Receiving miscellaneous services from the pier. Ships present in the area include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Ship is in condition of readiness VI. Material condition Yoke is set.

W. J. Holloway
Ens. USN

04-08 Moored as before. 0750 Mustered the crew at quarters, absentees: none.

W. J. Holloway
Ens. USN

APPROVED: W. L. Doughty, LCDR, U.S.N. COMMANDING

EXAMINED: [signature] LT/C U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) FRIDAY (Day) 18 (Date) SEPT. (Month) 19 59

Ø8-12 MOORED AS BEFORE. Ø936 SET SPECIAL SEA DETAIL AND MADE FINAL PREPARATIONS FOR TURNING SHIP AROUND WITH DEAD PLANT. CAPTAIN AND NAVIGATOR ON THE BRIDGE. Ø937 YTB 399 ALONGSIDE TO STBD PORT AND YTB 526 ALONGSIDE ON PORT QUARTER. PCB PILOT SWAN ABOARD Ø948 UNDERWAY IN ACCORDANCE WITH VERBAL ORDERS OF SHIPYARD'S ASSIGNED SHIP'S SUPERINTENDANT. BEING MANUEVERED ON VARIOUS COURSES AT VARIOUS SPEEDS BY YTBs 399 AND 526 TO TURN SHIP AROUND AND RETURN TO BERTH. 0953 YTB 526 CAST OFF Ø957 YTB 526 ALONGSIDE TO STBD. Ø959 YTB 399 CAST OFF. 1ØØ2 YTB 399 ALONGSIDE TO STBD. 1ØØ5 MOORED PORT SIDE TO USS AFFRAY (MSO 511), PIER D, BERTH 2, NAVAL SHIPYARD, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED. SOPA IS COMINCHIEF OF STAFF AT U.S. NAVAL STATION, CHARLESTON, S.C. 1934 MADE WEEKLY DLB TEST OF MAGAZINE SPRINKLER SYSTEM. TEST SATISFACTORY

D L Boyer
ENS. USN

12-16 MOORED AS BEFORE.

D L Boyer
ENS. USN

16-2Ø MOORED AS BEFORE

D L Boyer
ENS. USN

2Ø-24 MOORED AS BEFORE

D L Boyer
ENS. USN

APPROVED: W. L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED: J. R. Hicks LT(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE SATURDAY 19 SEPTEMBER, 19 59
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	045	3	9	SCT	3024	69	67	4	1600	Cu			
02	045	3	9	SCT	3024	67	65	4	1600	Cu			
03	045	3	9	SCT	3025	67	65	4	1600	Cu			
04	045	6	9	SCT	3025	65	63	4	1600	Cu			
05	045	6	9	SCT	3025	65	63	4	1600	Cu			
06	045	6	9	SCT	3026	65	63	4	1600	Cu			
07	045	6	9	SCT	3030	65	63	4	1600	Cu			
08	045	4	10	CLR	3034	67	63	0	~~1800~~				
09	045	9	10	CLR	3035	70	64	0	~~1800~~				
10	~~044~~	9	10	CLR	3036	73	66	0					
11	045	9	10	CLR	3037	75	67	0					
12	090	9	10	CLR	3039	75	67	0					
13	100	7	10	CLR	3038	80	74	0					
14	100	7	10	CLR	3036	80	79	0					
15	150	7	10	CLR	3035	81	79	0					
16	160	7	10	CLR	3035	80	75	0					
17	175	5	10	CLR	3035	77	69	0					
18	200	4	10	CLR	3034	78	67	0					
19	200	4	10	CLR	3034	75	64	0					
20	205	5	9	CT	3033	70	63	3	1800	Cu			
21	205	5	8	CT	3034	67	62	4	1800	Cu			
22	205	6	8	CT	3034	67	62	4	1800	Cu			
23	205	6	8	CT	3034	67	62	4	1800	Cu			
24	205	6	8	CT	3034	65	60	4	1800	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO USS AFFRAY (MSO 511), BERTH 2, PIER D, U.S. NAVAL SHIPYARD, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED. ~~AND~~ SOPA IS COMINLANT CHIEF OF STAFF AT U.S. NAVAL STATION, CHARLESTON, S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS VARIOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III WITH MATERIAL CONDITION "YOKE" SET. plus

D. L. Boyer
ENS. USN

Ø4-Ø8 MOORED AS BEFORE. Ø75Ø MUSTERED THE CREW ON STATION. ABSENTEES: NONE

D. L. Boyer
ENS. USN

APPROVED: W. L. Yough, LCDR, U.S.N. COMMANDING

EXAMINED: J. K. Fiche LT(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) SAT (Day) 19 (Date) SEPT (Month) 59

08-12 MOORED AS BEFORE.

JOConnery
LTJG-USNR

12-16 MOORED AS BEFORE.

JOConnery
LTJG-USNR

~~20-24~~
16-20 MOORED AS BEFORE

JOConnery
LTJG-USNR

20-24 MOORED AS BEFORE. 2040 COMINLANT BROKE HIS FLAG IN U.S. NAVAL STATION AND ASSUMED THE DUTIES OF SOPA.

JOConnery
LTJG USNR

APPROVED: W. L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED: [signature] LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE SUN (Day) 20 (Date) SEPT (Month), 1959

AT/~~PASSAGE FROM~~ CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	205	6	88	SCT	3033	65	60	4	1700	CI			
02	205	6	8	SCT	3032	64	59	4	1700	CI			
03	205	6	8	SCT	3030	64	58	4	1700	CI			
04	205	6	8	SCT	3030	64	58	4	1600	CI			
05	205	6	8	SCT	3030	63	58	4	1600	CI			
06	205	6	8	SCT	3030	63	58	4	1600	CI			
07	205	6	8	SCT	3031	64	59	3	1500	CI			
08	205	10	10	SCT	3034	64	60	5	1500	CU/ST			
09	205	10	10	SCT	3033	67	63	3	1500	CU/ST			
10	205	9	10	SCT	3033	70	64	3	1400	CU/ST			
11	205	8	10	SCT	3033	70	66	4	1400	CU/ST			
12	205	8	10	SCT	3033	70	66	4	1400	CU/ST			
13	205	8	10	SCT	3032	75	69	5	1400	CU/ST			
14	205	8	10	SCT	3031	82	72	5	1400	CU/ST			
15	205	8	10	SCT	3034	82	72	5	1400	CU/ST			
16	200	7	10	SCT	3028	85	75	4	1400	CU/ST			
17	200	5	10	SCT	3025	87	75	3	1400	CU/ST			
18	200	5	10	SCT	3024	85	75	3	1400	CU/ST			
19	200	5	10	SCT	3024	77	74	2	1400	CU/ST			
20	200	5	8	SCT	3024	77	72	2	1400	CU/ST			
21	200	5	8	SCT	3024	72	67	2	1400	CU			
22	200	5	8	SCT	3024	71	62	2	1400	CU			
23	200	5	8	SCT	3024	70	65	2	1400	CU			
24	200	5	8	SCT	3024	70	65	2	1400	CU			

EHB

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORT SIDE TO USS AFFRAY (MSO 511) AT PIER D, BERTH 2, U.S. NAVAL ~~STATION~~, SHIPYARD, CHARLESTON, S.C. WITH 8 STANDARD MOORING LINES DOUBLED. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMINLANT IN U.S. NAVAL STATION. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS VI WITH MATERIAL CONDITION YOKE SET.

J.W. Connery
LTJG USNR

04-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW ON STATIONS. ABSENTEES: NONE.

J.W. Connery
LTJG USNR

APPROVED: W. L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED: [signature] CTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) SUN (Day) 20 (Date) SEPT. (Month) 19 59

08-12 MOORED AS BEFORE.

J O'Connery
LTJG USNR

12-16 MOORED AS BEFORE.

J O'Connery
LTJG USNR

16-20 MOORED AS BEFORE

J O'Connery
LTJG USNR

20-24 MOORED AS BEFORE.

J O'Connery
LTJG USNR

APPROVED: W. L. Wough, LCDR, U.S.N. COMMANDING

EXAMINED: [signature] CTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE MON (Day) 21 (Date) SEPT. (Month) 19 51

AT/~~PASSAGE~~ FROM CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	200	5	8	SCT	3021	68	66	3	1600	ST			
02	200	5	8	SCT	3021	65	64	3	1600	ST			
03	200	5	8	SCT	3021	62	62	3	1600	ST			
04	200	5	8	SCT	3022	68	66	3	1600	ST			
05	200	3	8	SCT	3020	62	65	2	1600	CU			
06	200	3	8	SCT	3020	67	65	2	1600	CU			
07	200	3	10	SCT	3020	68	63	3	1600	CU			
08	200	3	10	SCT	3020	70	68	3	1600	CU			
09	200	3	10	SCT	3020	75	70	3	1600	ST			
10	200	3	10	SCT	3021	79	74	3	1600	ST			
11	200	3	10	SCT	3021	79	74	3	1600	ST			
12	200	3	10	SCT	3021	79	74	3	1600	ST			
13	200	3	10	BKN	3020	82	75	6	1600	ST			
14	200	3	10	BKN	3018	85	76	6	1600	ST			
15	200	3	10	BKN	3018	85	76	6	1600	ST			
16	200	3	10	BKN	3018	85	76	8	1600	CU/ST			
17	200	3	10	BKN	3017	82	75	8	1600	CU/ST			
18	200	3	10	BKN	3017	80	74	6	1600	CU/ST			
19	200	3	10	BKN	3016	80	74	6	1600	CU/ST			
20	200	3	10	BKN	3016	77	72	6	1600	CU/ST			
21	200	3	10	BKN	3016	74	70	6	1600	CU/ST			
22	200	3	10	BKN	3016	74	70	6	1600	CU/ST			
23	200	3	10	BKN	3016	72	70	6	1600	CU/ST			
24	200	3	10	BKN	3016	72	70	6	1600	CU/ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 MOORED PORT SIDE TO USS AFFRAY (MSO 511) AT PIER D, BERTH 2, U.S. NAVAL SHIPYARD, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMINLANT IN U.S. NAVAL STATION. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS VI WITH MATERIAL CONDITION YOKE SET.

J. W. Connery
LTJG USNR

04-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

J. W. Connery
LTJG USNR

APPROVED: W. L. Vaught, LCDR, U.S.N. COMMANDING

EXAMINED: [signature] LT/G U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) MONDAY (Day) 21 (Date) SEPT. (Month), 19 59

0800-1200 MOORED AS BEFORE.

D.L. Boyer
ENS. USN

1200-1600 MOORED AS BEFORE

D.L. Boyer
ENS. USN

1600-2000 MOORED AS BEFORE

D.L. Boyer
ENS. USN

2000-2400 MOORED AS BEFORE

D.L. Boyer
ENS. USN

APPROVED:

W. L. Vaughn, LCDR, U.S.N. COMMANDING

EXAMINED:

M. Fisher LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE TUESDAY 22 SEPT. , 19 59
(Day) (Date) (Month)

~~AT~~ PASSAGE ~~FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	200	3	10	SCT	3014	70	68	2	1600	Cu			
02	200	3	10	SCT	3014	70	68	2	1600	Cu			
03	200	3	10	SCT	3014	70	68	2	1600	Cu			
04	200	3	10	CLR	3014	70	68	2	1600	Cu			
05	200	3	10	CLR	3014	70	67	2	1600	Cu			
06	195	3	10	CLR	3014	69	67	2	1600	Cu			
07	195	3	10	CLR	3014	69	67	2	1600	Cu			
08	190	2	10	CLR	3017	73	70	2	1600	Cu			
09	190	2	10	CLR	3017	75	72	2	1600	Cu			
10	190	2	10	SCT	3017	77	73	2	1600	Cu			
11	190	2	10	SCT	3017	79	73	5	1400	Cu			
12	150	4	10	SCT	3016	82	73	5	1400	Cu			
13	100	4	10	SCT	3015	82	72	5	1400	Cu			
14	100	5	10	SCT	3014	81	71	5	1400	Cu			
15	100	5	10	SCT	3011	80	71	5	1400	Cu			
16	100	3½	10	SCT	3010	81	72	5	1400	Cu			
17	100	3½	10	SCT	3010	81	72	5	1400	Cu			
18	100	3	10	SCT	3010	80	72	5	1400	Cu			
19	100	3	10	SCT	3011	79	70	5	1400	Cu			
20	100	3	8	SCT	3012	77	74	4	1400	Cu			
21	090	3	8	SCT	3013	75	72	3	1400	Cu			
22	090	3	8	SCT	3014	73	70	2	1400	Cu			
23	090	3	8	SCT	3015	71	68	2	1400	Cu			
24	090	2	8	SCT	3014	70	68	2	1400	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

8 HB
8 HB

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO USS AFFRAY (MSO 511), BERTH 2, PIER "D", U.S. NAVAL SHIPYARD, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED SOPA IS COMINLANT, AT U.S. NAVAL STATION, CHARLESTON, S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS VARIOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION "YOKE" SET.

D. C. Boyer
ENS. USN

Ø4-Ø8 MOORED AS BEFORE. Ø75Ø MUSTERED THE CREW AT QUARTERS ABSENTEES: NONE

D. C. Boyer
ENS. USN

APPROVED: W. L. Doughty, LCDR, U.S.N. COMMANDING

EXAMINED: M. R. Hicks LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) TUE (Day) 22 (Date) SEPT (Month) 59

08-12 MOORED AS BEFORE. 1150 SHIFTED ELECTRICAL LOAD TO NO. 2 S/S GENERATOR.

J D Connery
LTJG USNR

12-16 MOORED AS BEFORE. 1201 SET SPECIAL SEA DETAIL. COMMENCED PREPARATIONS FOR SHIFTING TO DRYDOCK. 1218 YTB 388 ALONGSIDE TO STARBOARD. PILOT HUGHES CAME ABOARD. 1219 YTB 527 ~~ALONGIS~~ ALONGSIDE TO STBD. COMPLETED PREPARATIONS FOR SHIFTING TO DRYDOCK. DRAFT. FWD 10'2"; AFT 11'4". CAPTAIN AND NAVIGATOR ON THE BRIDGE, PILOT IS CONNING. 1223 UNDERWAY IN ACCORDANCE WITH COMNAV SHIPYARD VERBAL INSTRUCTIONS. TUGS ARE MANEUVERING SHIP TO CLEAR BERTH AND ENTER DRYDOCK. 1232 YTB 527 SHIFTED TO PORT SIDE 1238 FIRST LINE TO ARD-12, PORT BOW. 1239 FIRST LINE TO ARD 12, STARBOARD BOW. YTB 527 UNDERWAY TO STARBOARD 1240 PILOT LEFT SHIP, YTB 388 UNDERWAY. STEM PASSED OVER SILL. 1245 STERN PASSED OVER SILL. 1258 COMMENCED PUMPING WATER OUT OF DRYDOCK. 1316 SHIFTED TO DOCK POWER. 1326 RESTING ON KEEL BLOCKS. 1500 INSPECTION COMPLETED OF ALL HULL OPENINGS.

J D Connery
LTJG USNR

16-20 RESTING ON KEEL BLOCKS AS BEFORE.

J D Connery
LTJG USNR

20-24 RESTING ON KEEL BLOCKS AS BEFORE.

J D Connery
LTJG USNR

APPROVED: W. L. Waugh, LCDR, U.S.N. COMMANDING

EXAMINED: [signature illegible] LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE WED (Day) 23 (Date) SEPT (Month), 1959

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	2	8	CLR	3014	70	67						
02	090	2	8	CLR	3012	69	66						
03	090	2	8	CLR	3012	69	66						
04	090	2	8	CLR	3012	66	63						
05	070	2	8	CLR	3012	66	63						
06	070	2	10	CLR	3012	66	63						
07	070	2	10	CLR	3014	71	69						
08	070	3	10	CLR	3016	80	67						
09	070	3	10	CLR	3018	82	68						
10	070	3	10	SCT	3020	83	69	5	1500	CU			
11	070	3	10	BKN	3020	85	70	8	1500	CU			
12	080	3	10	BKN	3020	85	73	8	1500	CU			
13	080	3	10	BKN	3020	85	73	8	1500	CU			
14	080	3	10	BKN	3020	85	73	7	1500	CU			
15	090	3	10	BKN	3018	85	73	6	1500	CU			
16	090	8	10	SCT	3016	81	72	4	1500	CU			
17	100	3	10	SCT	3014	79	71	5	2000	CU			
18	110	8	10	BKN	3014	73	70	7	2000	CU			
19	085	8	8	BKN	3014	71	68	9	2000	CU			
20	085	8	8	BKN	3014	73	70	9	2000	CU/NS			
21	085	5	8	BKN	3014	73	70	9	2000	NS			
22	085	3	8	BKN	3014	73	70	9	2000	NS			
23	085	3	8	BKN	3015	73	70	9	2000	CU/NS			
24	085	3	8	BKN	3015	73	70	9	2000	CU/NS			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 RESTING ON KEEL BLOCKS IN ARD 12 AT PIER G, U.S. NAVAL SHIP YARD, CHARLESTON, S.C. SHIPS PRESENT INCLUDES VARIOUS UNITS OF THE U.S. ATLANTIC FLEET, YARD AND DISTRICT CRAFT. SOPA & COMINLANT IN U.S. NAVAL STATION. RECEIVING ALL SERVICES FROM ARD 12. SHIP IS IN CONDITIONS OF READINESS VII WITH MATERIAL CONDITION YOKE SET. JR

J O'Connell
LTJG USNR

04-08 RESTING ON KEEL BLOCKS AS BEFORE. 0750 MUSTERED THE CREW ~~ON STATH~~ AT QUARTERS. ABSENTEES: NONE. JR

J O'Connell
LTJG USNR

APPROVED: W. L. Vaughn, LCDR, U.S.N. COMMANDING

EXAMINED: [signature] LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Wed (Day) 23 (Date) Sept. (Month) 19 59

08-12 Resting on keel blocks as before. 1000 The Commanding Officer held mast and imposed non-judicial punishment as follows: Oliver, J. (N), 476-83-87, SN, USN, OFFENSE, Violation of Art. 91 and 92 UCMJ. PUNISHMENT. Warning ~~to wear complete uniform.~~

W.J. Holloway
Ens. USN

12-16 Resting on keel blocks as before.

W.J. Holloway
Ens. USN

16-20 Resting on keel blocks as before.

W.J. Holloway
Ens. USN

20-24 Resting on keel blocks as before.

W.J. Holloway
Ens. USN

APPROVED: W. L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED: [signature] LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Ability (MSO 518) ZONE DESCRIPTION +5 DATE Thurs. (Day) 24 (Date) Sept. (Month), 19 57

AT/~~PASSAGE FROM~~ Charleston, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	085	3	10	BKN	3015	73	71	9	2000	CU/NS			
02	085	3	10	BKN	~~3015~~ 3015	73	71	9	2000	CU/NS			
03	085	3	10	BKN	3015	73	71	9	2000	CU/NS			
04	085	5	10	SCT	3012	71	70	5	2000	CU/NS			
05	085	3	10	SCT	3012	71	70	5	2000	CU/NS			
06	085	5	10	SCT	3012	70	69	5	2000	CU/NS			
07	085	3	10	SCT	3014	72	71	5	2000	CU/NS			
08	085	3	10	SCT	3014	84	84	5	1600	CU/NS			
09	085	3	10	SCT	3015	84	82	5	1600	CU/NS			
10	085	3	10	SCT	3015	84	82	5	1600	CU/NS			
11	085	3	10	SCT	3015	84	82	5	1600	CU/NS			
12	085	3	10	SCT	3015	84	82	5	1600	CU/NS			
13	085	3	10	SCT	3015	85	85	5	1600	CU/NS			
14	085	4	10	SCT	3012	87	85	4	1600	CU/NS			
15	085	8	10	SCT	3010	88	84	3	1600	CU/NS			
16	085	8	10	CLR	3009	88	84	0					
17	085	8	10	CLR	3008	87	84	0					
18	085	8	10	CLR	3008	84	80	0					
19	085	8	10	CLR	3008	83	80	0					
20	085	8	10	CLR	3008	83	80	0					
21	085	8	10	CLR	3008	81	80	0					
22	085	8	10	CLR	3008	78	74	0					
23	085	8	10	CLR	3008	73	72	0					
24	085	8	10	CLR	3008	73	72	0					

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04. Resting on keel blocks in Drydock ARD-12, U.S. Naval Shipyard, Charleston, S.C, receiving miscellaneous services from the dock. SOPA is COMINLANT at U.S. Naval Station, Charleston, S.C. Ships present in the area include various units of the U.S. Atlantic and Reserve Fleets, plus various yard and district craft.

W.J. Holloway
Ens. USN

04-08 Resting on keel blocks as before. 0750 Mustered the crew at quarters. Absentees: none.

W.J. Holloway
Ens. USN

APPROVED: W.L. Doughty, LCDR, U.S.N. COMMANDING

EXAMINED: J.K. Fiske LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) THURSDAY 24 SEPTEMBER 1959 ALB
(Day) (Date) (Month)

ØB-12 RESTING ON THE KEEL BLOCKS AS BEFORE.

D.L. Boyer
ENS. USN

12-16 RESTING ON THE KEEL BLOCKS AS BEFORE

D.L. Boyer
ENS. USN

16-2Ø RESTING ON KEEL BLOCKS AS BEFORE

D.L. Boyer
ENS. USN

2Ø-24 RESTING ON KEEL BLOCKS AS BEFORE

D.L. Boyer
ENS. USN

APPROVED: W. L. Dough, LCDR, U.S.N. COMMANDING

EXAMINED: J. R. Hicks LT(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE ~~SATURDAY~~ FRIDAY 25 ~~26~~ SEPTEMBER 1959
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS ~~Amount (Tenths)~~ HEIGHT	CLOUDS ~~Height~~ AMT	CLOUDS ~~Type~~ TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	085	8	10	CLR	3008	72	72		Clr	Clr			
02	085	8	10	CLR	3007	72	71						
03	085	8	10	CLR	3006	72	71						
04	085	8	10	CLR	3006	72	71						
05	085	8	10	CLR	3005	70	70						
06	085	8	10	CLR	3004	70	70						
07	085	8	10	CLR	3004	72	71						
08	070	3	10	CLR	3004	74	73						
09	075	3	10	CLR	3005	76	74						
10	075	4	10	Sct	3005	79	74	1600	4	cu			
11	075	4	10	sct	3004	85	75	1600	4	Cu			
12	070	3	10	BKN	3002	82	73	1600	6	cu			
13	060	3	10	BKN	3000	82	73	1600	6	Cu			
14	055	3	10	BKN	2998	82	73	1600	6	Cu			
15	050	3	10	Sct	2998	81	73	1600	5	Cu			
16	070	4	10	Sct	2998	81	74	1600	5	Cu			
17	070	4	10	Sct	2998	80	73	1600	5	Cu			
18	070	4	10	Sct	2998	79	73	1600	5	Cu			
19	070	4	10	Sct	2998	77	73	1600	5	Cu			
20	070	3	10	Sct	2998	77	73	1600	5	Cu			
21	070	3	10	Sct	2998	75	72	1600	5	Cu			
22	070	3	10	Sct	2998	73	72	1600	5	Cu			
23	070	3	10	Sct	2997	73	72	1600	5	Cu			
24	070	3	10	Sct	2997	73	71	1600	5	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

ØØ-Ø4 RESTING ON KEEL BLOCKS IN ARD 12 AT PIER 6 US NAVAL SHIPYARD, CHARLESTON, S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS COMINLANT IN THE US NAVAL STATION. RECEIVING ALL SERVICES FROM THE DRYDOCK. SHIP IS IN CONDITION OF READINESS VI WITH MATERIAL CONDITION YOKE SET.

D.K. Boyer
ENS USN

Ø4-Ø8 RESTING ON KEEL BLOCKS AS BEFORE. Ø75Ø MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

D.K. Boyer
ENS. USN

APPROVED: W. L. Waugh, LCDR, U.S.N. COMMANDING

EXAMINED: J. K. Hicks LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) FRIDAY ~~25~~ (Day) 25 (Date) SEPT. (Month), 19 59

08-12 RESTING ON KEEL BLOCKS AS BEFORE. 1000 CONDUCTED WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM. TEST SATISFACTORY.

JDConnery
LTJG USNR

12-16 RESTING ON KEEL BLOCKS AS BEFORE

JDConnery
LTJG USNR

16-20 RESTING ON KEEL BLOCKS AS BEFORE

JDConnery
LTJG USNR

20-24 RESTING ON KEEL BLOCKS AS BEFORE

JDConnery
LTJG USNR

APPROVED: W. L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED: J. R. Hicks LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE ~~FRIDAY~~ SATURDAY 26 ~~25~~ (Day) (Date) SEPT. (Month), 19 59 JC

AT/~~PASSAGE~~ FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	075	3	8	SCT	29.97	72	70	3	1600	CL			
02	075	3	8	SCT	29.97	71	69	3	1600	CL			
03	075	3	8	SCT	29.97	71	68	3	1600	CL			
04	075	3	3	FOG	29.97	71	68	—	—	—			
05	075	5	1	FOG	29.97	71	68	—	—	—			
06	065	5	2	FOG	29.99	72	68	—	—	—			
07	065	5	3	FOG	30.00	72	69	7		CL			
08	010	3	10	BKN	30.00	80	70	5		ST/SC			
09	045	5	10	SCT	30.00	82	75	4		CU/SC			
10	065	8	10	BKN	30.00	82	75	6		CU			
11	070	8	10	BKN	30.00	83	76	6		CU			
12	070	8	10	BKN	30.00	84	77	6		CU			
13	070	6	10	BKN	30.00	84	77	6		CU			
14	070	5	10	BKN	29.98	83	80	6		CU			
15	070	5	10	BKN	29.96	82	81	4		CI			
16	070	5	10	BKN	29.96	81	81	4		CI			
17	070	5	10	SCT	29.96	81	81	4		CI			
18	070	5	10	SCT	29.96	79	78	4		CI			
19	070	5	10	SCT	29.95	77	76	3		CI			
20	070	5	10	SCT	29.95	76	75	3		CI			
21	010	4	6	CLR	29.95	75	75	—	—	—			
22	010	4	6	CLR	29.95	74	73	—	—	—			
23	010	4	6	CLR	29.95	73	73	—	—	—			
24	010	4	5	CLR	29.95	73	73	—	—	—			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 RESTING ON KEEL BLOCKS IN ARD 12 AT PIER 6 U.S. NAVAL SHIPYARD, CHARLESTON, S. C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET, YARD AND DISTRICT CRAFT SOPA IS COMINLANT IN THE U.S. NAVAL STATION. RECEIVING ALL SERVICES FROM THE DRYDOCK. SHIP IS IN CONDITION OF READINESS VI WITH MATERIAL CONDITION YOKE SET

J W Comery
LTJG-USNR

04-08 RESTING ON KEEL BLOCKS AS BEFORE 0750 MUSTERED THE CREW ON STATION. ABSENTEES - NONE

J W Comery
LTJG-USNR

APPROVED: W. F. Hough, LCDR, U.S.N. COMMANDING

EXAMINED: J. C. Fitch LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (CMSO 519) Sat. (Day) 26 (Date) Sept. (Month) 1959

08-12 Resting on keel blocks as before.

W. J. Holloway
Ens. USN

12-16 Resting on keel blocks as before.

W. J. Holloway
Ens. USN

16-20 Resting on keel blocks as before.

W. J. Holloway
Ens. USN

20-24 Resting on keel blocks as before.

W. J. Holloway
Ens. USN

APPROVED: W. L. Vaughn, LCDR, U.S.N. COMMANDING

EXAMINED: M. C. Hicks CTG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Sun (Day) 27 (Date) Sept (Month), 19 59

AT/~~PASSAGE FROM~~ Charleston, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	010	4	6	CLR	29.95	72	72	—	—	—			
02	010	4	6	CLR	29.95	71	71	—	—	—			
03	010	4	6	CLR	29.95	70	71	—	—	—			
04	010	4	6	CLR	29.96	70	78	—	—	—			
05	010	4	8	CLR	29.96	71	71	—	—	—			
06	010	4	8	CLR	29.96	71	71	—	—	—			
07	010	3	8	CLR	29.96	71	71	—	—	—			
08	010	3	7	BKN	29.96	81	80	—	—	—			
09	070	5	10	SCT	30.02	85	84	6	1600	CU			
10	070	6	10	SCT	30.02	85	84	4	1600	CU			
11	070	4	10	SCT	30.02	85	84	4	1600	CU			
12	070	4	10	SCT	30.02	85	86	4	1600	CU			
13	070	4	10	SCT	30.02	86	87	4	1600	CU			
14	070	4	10	SCT	29.98	84	84	4	1600	CU			
15	070	4	10	SCT	29.98	83	83	4	1600	CU			
16	070	4	10	SCT	29.98	82	82	3	1600	CU			
17	070	4	10	CLR	29.98	81	80	3	1600	CU			
18	070	4	10	CLR	29.98	79	79	—					
19	070	4	7	CLR	29.98	76	76	—					
20	080	4	7	CLR	30.00	76	76	—					
21	080	4	6	CLR	30.00	75	75	—					
22	080	4	6	CLR	30.00	74	74	—					
23	080	4	6	CLR	30.00	73	73	—					
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 Resting on keel blocks in drydock ARD-12, pier 6 U.S. Naval Shipyard, Charleston, S.C. SOPA is COMINCLANT at U.S. Naval Station. Ships present in the area include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Receiving miscellaneous services from dock. Material condition Yoke is set. Ship is in condition of readiness VI

W.J. Holloway
Ens. USN

04-08 Resting on keel blocks as before. 0750 Mustered the crew on station. Absentees: none.

W.J. Holloway
Ens. USN

APPROVED: W.L. Vaughn, LCDR, U.S.N. COMMANDING

EXAMINED: J.K. Fiehn LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Sun (Day) 27 (Date) Sept. (Month) 1959

08-12 Resting on keel blocks as before.

W. J. Holloway
Ens. USN

12-16 Resting on keel blocks as before. 1300 COMINDIV 85 shifted admin. and flag to U.S.S. River (MSO 468).

W. J. Holloway
Ens. USN

16-20 Resting on keel blocks as before.

W. J. Holloway
Ens. USN

20-24 Resting on keel blocks as before.

W. J. Holloway
Ens. USN

APPROVED: W. L. Vaughn, LCDR, U.S.N. COMMANDING

EXAMINED: W. Hicks LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Mon. (Day) 28 (Date) Sept (Month), 19 59

AT/~~PASSAGE~~ FROM Charleston, S. C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	080	5	6	SCT	2999	77	74	5	1600	CI			
02	080	5	6	SCT	2998	72	69	5	1600	CI			
03	080	6	6	SCT	2996	72	69	5	1600	CI			
04	080	6	6	SCT	2998	71	68	5	1600	CI			
05	080	6	8	SCT	2999	71	68	5	1600	CI			
06	080	6	8	BKN	2999	71	68	9	1600	CU			
07	080	6	8	BKN	2999	71	68	8	1600	CU			
08	060	6	8	BKN	3000	80	70	8	1600	CU			
09	040	7	9	BKN	3002	85	76	7	1500	CU			
10	050	7	9	BKN	3002	86	77	7	1500	CU/NS			
11	050	7	9	BKN	3002	88	77	7	1500	CU/NS			
12	030	7	9	OVC	2999	87	76	10	1400	CU/NS			
13	030	7	9	OVC	2997	85	76	10	1400	CU/NS			
14	030	6	9	OVC	2995	85	76	10	1300	CU/NS			
15	025	3	9	OVC	2994	83	75	10	1300	CU/NS			
16	025	3	9	BKN	2992	80	74	9	1000	CU/NS			
17	030	3	8	R	2990	78	73	9	1000	CU/NS			
18	030	2	8	R	2990	75	72	9	1000	CU/NS			
19	040	2	8	R	2990	73	70	9	1000	CU/NS			
20	050	2	8	R	2990	75	72	9	1800	CU/NS			
21	060	4	6	R	2990	75	72	9	1800	CU/NS			
22	070	5	6	R	2988	75	72	9	1800	CU/NS			
23	070	6	6	SCT	2986	75	72	5	1800	CU/NS			
24	070	7	6	SCT	2984	74	71	5	1800	CU/NS			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Resting on keel blocks in dry dock ARD-12 at pier 6, U.S. Naval Shipyard, Charleston, S.C. SOPA is COMINLANT at U.S. Naval Station. Ships present in the area include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Receiving all services from the dry dock. Ship is in condition of readiness VI. Material condition Yoke is set.

W.J. Holloway
Ens. U.S.N.

04-08 Resting on keel blocks as before.
0750 Mustered the crew at quarters, Absentees: none.

W.J. Holloway
Ens. USN

APPROVED: W.L. Vaughn, LCDR, U.S.N. COMMANDING

EXAMINED: J.K. Hicks LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) MON. (Day) 28 (Date) SEPT. (Month) 19 59

08-12 RESTING ON KEEL BLOCKS AS BEFORE. 0830 SET HURRICANE CONDITION THREE FOR HURRICANE GRACIE. 1055 INSPECTION COMPLETED OF ALL HULL OPENINGS 1101 COMMENCED FLOODING DRYDOCK. 1113 SET SPECIAL SEA DETAIL 1123 SHIP CLEARED KEEL BLOCKS 1130 ALL SERVICES DISCONNECTED FROM SHIP #1 S/S GENERATOR ON THE LINE 1143 INSPECTION COMPLETED OF ALL SPACES FOR WATERTIGHT INTEGRITY HANDLING LINES SECURE ON DECK

J O'Connery
LTJG USNR

12-16 LEAVING DRYDOCK AS BEFORE. 1200 COMMENCED MOVING SHIP CLEAR OF DOCK. 1204 STERN PASSED OVER SILL. 1207 YTB 393 ALONGSIDE TO PORT. PILOT SWAN CAME ABOARD AND TOOK THE CONN. 1211 BOW PASSED OVER SILL 1212 ALL LINES CLEAR OF DRY DOCK. TUG IS MANEUVERING SHIP ON VARIOUS COURSES AND VARIOUS SPEEDS TO CLEAR DRYDOCK AND MOOR AT PIER DELTA. CAPTAIN AND NAVIGATOR ON THE BRIDGE 1223 YTB 388 ALONGSIDE TO STARBOARD. 1228 YTB 393 UNDERWAY FROM ALONGSIDE 1231 YTB 393 ALONGSIDE TO STARBOARD 1238 MOORED PORT SIDE TO PIER DELTA BERTH 2 AT U.S. NAVAL SHIPYARD, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED 1249 SECURED SEA DETAIL AND SET THE IN PORT WATCH 1252 PILOT LEFT THE SHIP, TUGS UNDERWAY 1322 SHIFTED TO SHORE POWER, SECURED #1 S/S GENERATOR 1440 YO 129 ALONGSIDE TO STARBOARD 1515 COMMENCED RECEIVING FUEL, DRAFT FWD. 10'4", AFT 11'2" 1530 SET HURRICANE CONDITION TWO. PUT OUT EXTRA MOORING LINES AND WIRES TO THE PIER. 1548 COMPLETED RECEIVING 4132 GALLONS OF FUEL. DRAFT FWD 10'5", AFT 11'3"

J O'Connery
LTJG USNR

16-20 MOORED AS BEFORE 1607 YO 129 UNDERWAY TO STARBOARD 1714 SET HURRICANE CONDITION ONE. RECALLED ALL PERSONNEL ON LIBERTY. ENGINEERING PLANT PUT ON THIRTY MINUTE STANDBY FOR ~~bet~~ GETTING UNDERWAY

jc

J O'Connery
LTJG USNR

20-24 MOORED AS BEFORE

J O'Connery
LTJG USNR

APPROVED: W. F. Hough, LCDR, U.S.N. COMMANDING

EXAMINED: J. R. Ricks LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE Tues (Day) 29 (Date) Sept (Month), 19 59

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	070	7	5	R	2976	74	71	8	1600	CU/NS			
02	020	12	5	R	2974	74	71	10	1600	CU/NS			
03	020	15	5	R	2969	74	71	10	1600	CU/NS			
04	020	15	5	R	2965	74	71	10	1600	AC/NS			
05	020	15	5	R	2962	74	71	10	1600	AC/NS			
06	020	20	2	R	2953	73	70	10	1000	AC/NS			
07	020	20	3	R	2950	73	70	10	1000	AC/NS			
08	020	35	2	R	2940	73	70	10	1000	AC/NS			
09	020	45	2	R	2932	75	72	10	1000	AC/NS			
10	030	50	2	R	2930	73	70	10	1000	AC/NS			
11	070	70	2	R	2926	73	70	10	1000	AC/NS			
12	090	90	3	R	2922	73	70	10	1000	AC/NS			
13	110	80	3	R	2924	73	70	10	1000	AC/NS			
14	140	60	3	R	2926	73	70	10	1000	AC/NS			
15	150	50	3	R	2928	73	70	10	1000	AC/NS			
16	160	40	3	R	2930	73	70	10	1000	AC/NS			
17	160	30	2	R	2935	73	70	10	1000	AC/NS			
18	175	20	1	R	2942	73	70	10	1000	AC/NS			
19	180	15	3	R	2947	72	69	10	1000	NS			
20	180	12	5	R	2954	72	69	10	1000	NS			
21	180	10	5	R	2957	71	68	10	1000	NS			
22	180	10	5	R	2962	71	68	10	1000	NS			
23	180	10	7	OVC	2965	70	67	10	1000	NS			
24	180	10	7	BKN	2970	71	68	9	1000	CU/NS			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORT SIDE TO BERTH 2 PIER DELTA, U.S. NAVAL SHIPYARD CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRES AND EXTRA LINES TO THE PIER. SHIPS PRESENT INCLUDES VARIOUS UNITS ~~ON~~ OF U.S. ALANTIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMINLANT IN U.S. NAVAL STATION. RECEIVING ALL MISCELLANOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS VI WITH MATERIAL ~~CONDT~~ CONDITION YOKE SET. HURRICANE CONDITION ONE IS SET AND ENGINEERING PLANT IS ON THIRTY MINUTE STANDBY.

JC

JC

JDConnery
LTJG USNR

04-08 - MOORED AS BEFORE. 0530 SHIFTED ELECTRICAL LOAD TO #3 S/S GENERATOR. 0750 MUSTERED CREW AT QUARTERS. ABSENTEES: NONE

JDConnery
LTJG USNR

APPROVED: W. L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED: J. R. Hicks LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Tues (Day) 29 (Date) Sept. (Month) 19 59

0812 Moored as before. 0937 Set sea detail. Made all preparations for getting under way. Captain and Navigator are on the bridge. 1000 Secured sea detail. Set the regular steaming watch while remaining moored. Winds reaching hurricane force. All preparations for using ~~mine~~ main engines if necessary completed.

W. J. Holloway
Ens. USN

12-16 Moored as before.

W. J. Holloway
Ens. USN

16-20 Moored as before. 1730 Secured from steaming watch. Set the regular in port watch. Wind is less than hurricane force.

W. J. Holloway
Ens. USN

20-24 Moored as before.

W. J. Holloway
Ens. USN

APPROVED: W. L. Douglas, LCDR, U.S.N. COMMANDING

EXAMINED: [signature] LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Ability (MSO519) ZONE DESCRIPTION +5 DATE Wed (Day) 30 (Date) Sept. (Month), 19 59

AT/~~PASSAGE FROM~~ Charleston, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	180	10	7	BKN	29.70	73	70	9	1000	AC			
02	180	10	7	BKN	2970	78	75	9	1000	AC			
03	185	9	8	SCT	2973	78	75	5	1500	CU			
04	225	14	8	BKN	2973	79	~~75~~	6	2000	SC			
05	310	14	8	BKN	2975	79	75	8	2000	SC			
06	020	15	8	BKN	2974	79	76	8	2000	SC			
07	030	15	8	BKN	2976	81	77	8	2000	SC			
08	040	15	8	BKN	2978	82	78	8	2000	SC			
09	060	15	8	BKN	2980	82	78	8	2000	SC			
10	080	15	8	BKN	2982	89	83	8	2000	SC			
11	080	15	8	BKN	2983	85	78	8	2000	SC			
12	080	15	8	BKN	2983	85	78	6	2000	SC			
13	080	15	8	SCT	2982	87	79	5	2000	SC			
14	080	15	8	SCT	2982	87	79	5	2000	SC			
15	080	15	8	SCT	2982	87	79	5	2000	SC			
16	085	11	8	SCT	2980	87	79	5	2000	SC			
17	085	10	8	SCT	2980	83	78	5	2000	SC			
18	085	10	9	SCT	2980	83	78	3	2000	SC			
19	085	10	9	SCT	2981	83	78	2	2000	SC			
20	085	10	9	CLR	2981	83	78						
21	085	7	9	CLR	2982	80	77						
22	085	7	9	CLR	2982	78	75						
23	085	7	9	CLR	2982	78	75						
24	085	7	9	CLR	2982	78	75						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 Moored port side to pier D, berth 2, U.S. Naval shipyard, Charleston, S.C. with standard mooring lines doubled and wire preventers fore and aft to the pier. SOPA is COMINLANT at U.S. Naval Station. Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Ship is in condition of readiness VI. Material condition YOKE is set.

W.J. Holloway Ens. USN

04-08 Moored as before. 0750 Mustered the crew at quarters. Absentees: none.

W.J. Holloway Ens. USN

APPROVED: W.L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED: M. Fiehn LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) WEDNESDAY (Day) 30 (Date) SEPTEMBER (Month) 19 59

0800-1200 MOORED AS BEFORE.

D. L. Boyer
ENS. USN

1200-1600 MOORED AS BEFORE

D. L. Boyer
ENS. USN

1600-2000 MOORED AS BEFORE

D. L. Boyer
ENS. USN

2000-2400 MOORED AS BEFORE

D. L. Boyer
ENS. USN

APPROVED:

W. L. Hough, LCDR, U.S.N. COMMANDING

EXAMINED:

R. Hicks LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000–2400

FUEL CONSUMED
0000–2400

REMARKS

APPROVED:

_____ U.S.N. COMMANDING

EXAMINED:

_____ U.S.N. NAVIGATOR